



# UNITED VET EQUINE

## VACCINE GUIDELINES

DISEASE/ VACCINE	FOALS/ WEANLINGS	YEARLINGS/ ADULTS	BROODMARES	PERFORMANCE HORSES
<b>Encephalomyelitis</b> (EEE, WEE, VEE)	From vaccinated mares: 1st dose at 6 months, 2nd dose at 7 months. From non-vaccinated mares: 1st dose at 3-4 months, 2nd dose at 4-5 months.	Yearlings: Start with annual vaccination at 12 months. Adults: Annual vaccination.	Annual vaccination 4-6 weeks prior to foaling due date.	Annual spring vaccination, vaccinate at 6 month intervals if traveling to endemic areas
<b>Tetanus Toxoid</b> *Additional booster should be administered at time of penetrating wound or surgery if last dose not within 6 months	From vaccinated mares: 1st dose at 6 months, 2nd dose at 7 months. From non-vaccinated mares: 1st dose at 3-4 months, 2nd dose at 4-5 months.	Yearlings: Start with annual vaccination at 12 months. Adults: Annual vaccination	Annual vaccination 4-6 weeks prior to foaling due date	Annual vaccination
<b>West Nile Virus</b>	From vaccinated mares: 1st dose at 6 months, 2nd dose at 7 months. From non-vaccinated mares: 1st dose at 3-4 months, 2nd dose at 4-5 months.	Yearlings: Start with semi-annual vaccination at 12 months. Adults: Semi-annual vaccination.	Semi-Annual vaccination 4-6 weeks prior to foaling due date	Semi-Annual vaccination
<b>Influenza</b>	From vaccinated mares: 1st dose at 6 months, 2nd dose at 7 months, 3rd dose at 8 months. *If using intranasal vaccine start 2 dose series at 9 months.	Yearlings: Start with semi-annual vaccination at 12 months. Adults: Semi-annual vaccination	Semi-Annual vaccination 4-6 weeks prior to foaling due date	At least semi-annual vaccination with vaccination every 3-4 months highly recommended
<b>Rhinopneumonitis (EHV-1 and EHV-4)</b>	From vaccinated mares: 1st dose at 6 months, 2nd dose at 7 months, 3rd dose at 8 months. From non-vaccinated mares: 1st dose at 3-4 months, 2nd dose at 4-5 months, 3rd dose at 5-6 months.	Yearlings: Start with semi-annual vaccination at 12 months. Adults: Semi-annual vaccination	EHV-1 vaccine at 5th, 7th and 9th months of gestation. EHV-1 & EHV-4 vaccination 4-6 weeks prior to foaling due date	At least semi-annual vaccination with vaccination every 3-4 months highly recommended
<b>Rabies</b>	From vaccinated mares: 1st dose at 6 months, 2nd dose at 7 months. From non-vaccinated mares: 1st dose at 3-4 months, 2nd dose at 4-5 months.	Yearlings: Start with annual vaccination at 12 months. Adults: Annual vaccination	Annual vaccination 4-6 weeks prior to foaling due date	Annual vaccination
<b>Strangles</b> *Optional - recommended at locations where have had previous outbreaks	Injectable: 1st dose at 4-6 months, 2nd dose at 5-7 months. Intranasal: 1st dose at 6 mths, 2nd dose 3 weeks later.	Yearlings: Start with semi-annual vaccination at 12 months. Adults: Semi-annual vaccination	Semi-Annual vaccination 4-6 weeks prior to foaling due date	Semi-Annual vaccination
<b>Equine Viral Arteritis</b> *21 day isolation period required after initial vaccination	Intact colts intended to be breeding stallions: One dose at 6-12 months. Fillies: If needed, one dose at 6-12 months.	Yearlings: Annual vaccination for colts intended to be breeding stallions	Annual vaccination if required for breeding or if breeding carrier stallion (isolate mares 21 days after breeding to carrier stallion)	Annual vaccination for colts intended to be breeding stallion

\*Additional optional vaccinations (Botulism, Potomac Horse Fever, Equine Protozoa Myeloencephalitis - EPM, and others) are available as needed.

## DEWORMING SCHEDULE

JAN/FEB	MAR/APRIL	MAY/JUNE	JULY/AUG	SEPT/OCT	NOV/DEC
Strongid (Pyrantel)	Anthelcide or Panacur	Zimecterin Gold/ Equipax/Quest Plus	Strongid (Pyrantel)	Anthelcide or Panacur	Zimecterin Gold/ Equipax/Quest Plus